

Novon Company, Inc. for Dynamic Products - Parts - Service



Senior

Junior

Mini



01	02	03	04	05
Mini juicer	Dynastake	MD mix	Mini sander: mini 1	Mini sander: w-tick
200W	200W	100W	100W	100W

06	07	08	09
Junior 5 to 6 qt	Junior Plus	Junior 1 qt	Junior Combi
200W	200W	200W	200W

10	11	12
Mini juicer Standard	Mini juicer Plus	Mini juicer Combi
200W	200W	200W

Master Combi & Accessories



F	G
Dynastake	MS attachment
200W	200W

A	B+C	B+C+D	E	F	G
5 main body Dynastake attachment	MJF 2000 Combi	MJF 1000 Combi	MJF 1 (400 mm - 15.7")	MJF 2 (800 mm - 31.5")	MJF 3 (1200 mm - 47.2")
	Motor + mixer tool + attachment	Motor + mixer tool + whisk	Ø ship 150 mm - 5.9"	Ø ship 150 mm - 5.9"	Ø ship 150 mm - 5.9"

Mail to: P.O. Box 1690, Pleasanton, CA 94566

Ship to: 440 Boulder Court, Suite 100C, Pleasanton, CA 94566



Master



13	14	15	16	17
MX 2000	MX 2000	MX 2000	MX 2000	MX 2000
962 W	492 W	962 W	962 W	962 W

SMX



18	19	20	21
SMX 800 E	SMX 800 E	SMX 800 DSE	SMX 800 DSE
800 W	800 W	800 W	800 W

Ricer



22	23
RR 50	RR 50 Plus
164 W	164 W

Support brackets - SM - SA (p. 20)

Giraffe



24
Giraffe
1,800 W

Salad Spinners



25	26	27	28	29
SD 80	SD 82	SD 90 9C	EM electric	Stabilizing base for salad spinners
Capacity 4 each of 5 lbs	Capacity 6 each of 5 lbs	Capacity 6 each of 5 lbs	Capacity 6 each of 5 lbs	For SD 82, SD 90-9C, and EM only

Manual Food Cutters



30	31
Dynacoupe (+ 1 grid)	Dynacoupe (+ 2 discs)
R: 200mm, T: 214mm, H: 150mm	R: 200mm, T: 214mm, H: 150mm
Color: Orange	Color: Orange


Mail to: P.O. Box 1690, Pleasanton, CA 94566

Ship to: 440 Boulder Court, Suite 100C, Pleasanton, CA 94566

Mini Series

Our Mini series is light and easy to use. Corded or cordless, they are ideal for preparing small capacities of soups and sauces. With their small size they will offer freedom, power and versatility for professionals at work.

The MINI cordless mixers are unique products within the market, they are supplied with charger and a long lasting battery.



01- MD 95 Standard blade
MD 95 E Emulsifying blade

MD 95 and MD 95 Ecapacity 1 to 10 litres - 0,25 / 3 gal

Total length: 445 mm / 17,5"
Mixer tool length: 160 mm / 7"
Diameter: 72 mm / 3"
Actual weight / shipping weight: 1,2 Kg / 2,6 lbs - 1,5 Kg / 3,3 lbs
Output: 80 W
Vitesse: 500 R.P.M.
Option : variable speed control

02- Emulsifying cutter blade

03- Mini cordless mixer

With emulsifying blade - ...Capacity 1 to 5 litres / 0,25 to 1,25 gal.

03- Mini cordless mixer

With standard blade -Capacity 1 to 5 litres / 0,25 to 1,25 gal.

Total length: 460 mm / 18,5"
Mixer tool length: 160 mm / 7"
Diameter: 72 mm / 3"
Actual weight / shipping weight: 1,4 Kg / 3,0 lbs - 3,0 Kg / 6,6 lbs
Speed: 7000 R.P.M.

04- Mini cordless whisk

Total length: 445 mm / 17,5"
Mixer tool length: 185 mm / 8"
Diameter: 72 mm / 3"
Actual weight / shipping weight: 1,5 Kg / 3,3 lbs - 3,0 Kg / 6,6 lbs
Speed: 700 R.P.M.

05- Battery New Technology

1hr. charge, 1hr. run time

06- Charger C Mini. Charger

115 V or 230 V



Mail to: P.O. Box 1690, Pleasanton, CA 94566

Ship to: 440 Boulder Court, Suite 100C, Pleasanton, CA 94566

Mini Series

A truly professional mixer for small preparations!

The Minipro is light, quick and efficient with a detachable foot allowing for simple and easy maintenance. It is the perfect mixer with easily interchangeable attachments.



Detachable shaft + all blades

Minipro with all blades includes : 1 Minipro + 1 emulsifying blade + 1 standard blade + 1 batter blade + 1 dairy blade

Total length: 95 mm / 15,5"
Shaft length: 160 mm / 7"
Diameter: 70 mm / 2,8"
Acutal / shipping weight: 0,990 Kg / 2,20 lbs
Output: 200 W
Speed: 0 to 13000 R.P.M.

MiniPro



Accessories included



Emulsifying outer blade

Standard outer blade

Batter blade

Dairy blade

Accessories sold separately



Graduated cup
1 liter / 40 oz + cover



Stainless steel cup 3 liters
+ cover

Junior Series

The JUNIOR series is light and easy to use, with a maximum capacity of 25 litres / 6.5 gallons



01-Junior Standard non-detachable

Total length:505 mm / 20"
Mixer tool length:225 mm / 9"
Diameter:94 mm / 4"
Actual weight / shipping weight: .1,7 Kg / 3,7 lbs - 2,0 Kg / 4,4 lbs
Output:200 W
Speed:9500 R.P.M.

02-Junior Plus detachable

Total length:505 mm / 20"
Mixer tool length:225 mm / 9"
Diameter:94 mm / 4"
Actual weight / shipping weight:1,9 Kg / 4,2 lbs - 2,3 Kg / 5 lbs
Output:200 W
Speed:0 to 9500 R.P.M.

Option : variable speed control

03-Junior Whisk non-detachable

Total length.....500 mm / 20"
Mixer tool length:185 mm / 8"
Diameter:94 mm / 4"
Actual weight / shipping weight:1,4 Kg / 3 lbs - 1,7 Kg / 3,7 lbs
Output.....200 W
Speed:0 to 2000 R.P.M.

04- 4-blade-emulsifying knife

Junior



05- Junior Combi detachable

Total length..... 530 mm / 21"
Mixer tool length:225 mm / 9"
Whisk length:185 mm / 8"
Diameter:94 mm / 4"
Actual weight / shipping weight:2,4 Kg / 5,3 lbs - 3,3 Kg / 7,3 lbs
Output: 200 W
Mixer / Whisk speed: 0 to 9500 R.P.M. / 0 to 2000 R.P.M.

06- Junior motor block

Total length: 305 mm / 12"
Diameter:94 mm / 4"
Actual weight / shipping weight: 1,9 Kg / 4 lbs - 2,3 Kg / 5 lbs
Output: 200 W
Speed: to 9500 R.P.M.

07- Junior mixer tool

Capacity: 5 - 25 litres
Length:225 mm / 9"
Weight: 0,5 Kg / 1,1 lbs

08- Junior whisk

Capacity:1 - 5 litres
Length:185 mm / 8"
Weight: 0,5 Kg / 1,1 lbs



Senior Series

Our Senior series is powerful and versatile. They are ideal for medium to large capacities and will mix even the most delicate recipes.



01-PMX 98 Standard non-detachable

Total length:600 mm / 24"
Mixer tool length:300 mm / 12"
Diameter:97 mm / 4"
Actual weight / shipping weight: 2,4 Kg / 5,3 lbs - 2,9 Kg / 6,4 lbs
Output:300 W
Speed:9500 R.P.M.
Option : Variable speed control

02-PMDH 250 Plus detachable

Total length:600 mm / 24"
Mixer tool length:300 mm / 12"
Diameter:97 mm / 4"
Actual weight / shipping weight: 2,4 Kg / 5,3 lbs - 2,9 Kg / 6,4 lbs
Output:300 W
Speed:9500 R.P.M.

Precise alignment of motor block and mixer tool requires only a 1/4 turn to secure.



Convenient and secure: Mini storage bracket for mixer tool and accessories included.





Senior



Mixer
5 /
10 gal.



Whisk
1.25 /
2.5 gal.



03- PMF 250 Combi

Total length:.....40 mm / 25"
Mixer tool length:300 mm / 12"
Whisk length:205 mm / 8"
Diameter:97 mm / 4"
Actual weight / shipping weight: 3.4 Kg / 7.5 lbs - 4,5 Kg / 9.9 lbs
Output:.....300 W
Mixer / Whisk Speed:0 to 9500 R.P.M. - 0 to 900 R.P.M

04- Senior motor block BM 250

Total length:30 mm / 13"
Diameter:97 mm / 4"
Actual weight / shipping weight: 2.0 Kg / 4.4 lbs - 3,1 Kg / 6.8 lbs
Output:.....300 W
Speed:.....0 to 9500 R.P.M.

300 watts motor block can be used with the mixer tool and whisk attachment.

05- Senior mixer tool M 250

Capacity:20 - 40 liters / 5 - 10 gallons
Length:.....300 mm / 12"
Weight:0.5 Kg / 1.1 lbs

06- Senior whisk F 250

Capacity:5 - 10 liters / 1.25 - 2.5 gallons
Length:205 mm / 8"
Weight:0.8 Kg / 1.8 lbs



Mail to: P.O. Box 1690, Pleasanton, CA 94566

Ship to: 440 Boulder Court, Suite 100C, Pleasanton, CA 94566

Master Series

Our Master mixer series is the most advanced and versatile mixers in the industry. These units are strong and dependable. They are perfect for kettles or large stock pots holding up to 100 litres / 25 gallons. Our wide variety of attachments adds versatility and flexibility to your food preparation needs.




01- MX 91 "Classic" non-detachable

Total length.....715 mm / 28"
Mixer tool length:410 mm / 16"
Diameter:.....110 mm / 4,5"
Actual / shipping weight: 3,4 Kg / 7,5 lbs - 3,8 Kg / 8,4 lbs
Output:460 W
Speed: 9000 R.P.M.
Option :..... variable speed control

02- FT 97 Non-detachable

Total length:.....650 mm / 25,5"
Mixer tool length:245 mm / 10"
Diameter:110 mm / 4,5"
Actual / shipping weight: 3,3 Kg / 7,3 lbs - 3,7 Kg / 8,1 lbs
Output:350 W
Speed:00 to 900 R.P.M.

03- 4-blade-emulsifying knife



Master Combi

Also Available Sold Separately

06- BM 2000 motor block

500 watts can be used with the following attachments.
Length: 350 mm / 13,75"
Diameter 122 mm / 4,75"
Weight: 2,7 Kg / 6,0 lbs
Output: 460 W
Voltage: 230 V or 115 V
Speed: 3000 to 9500 R.P.M. with variable speed

07- M90 Mixer tool attachment

Capacity: 20 - 100 litres / 5 - 25 gal
Length: 420 mm / 16,5"
Weight: 1 Kg / 2,2 lbs

08- F90 whisk attachment

Capacity: 5 - 20 litres / 1 - 5 gal
Length: 245 mm / 10"
Weight: 0,9 Kg / 2,0 lbs
Speed: 300 to 900 R.P.M. with variable speed

09- Master Whip FM 1

10- Master Whip FM 2

11- Master Whip FM 3

Capacity: 20 - 200 litres / 5 - 50 gal.
Length FM 1: 420 mm / 16,5"
Length FM 2: 600 mm / 24"
Length FM 3: 700 mm / 28"
Speed: 100 to 500 R.P.M.
All stainless steel, handle support included.

12- AP 90 Foodmill / Ricer

Capacity: 30 Kg / 66 lbs
Length: 420 mm / 16,5"
Diameter grid: 110 mm / 4,3"
Weight: 1,9 Kg / 4,2 lbs
Speed: 100 to 600 R.P.M. with variable speed

13- Emulsifying Dynaturbo attachment

The emulsifying Dynaturbo attachment : generally used for icecream and sorbets, finely purees fresh or thawed ingredients which had been processed with the M90 mixer tool attachment. Furnished with 2 heads: one for fruit and one for cream or syrups. Entirely detachable for perfect cleaning.

Capacity: 5 litres - 1 gal
Length: 400 mm / 15,7"

14- Dynacutter Bowl complete

The complete Dynacutter bowl includes a 5 liters / 6 QTS -bowl, cover, reducer and a standard blade or serrated blade.

15- Dynacutter Bowl only


Dynacutter bowl only, without cover, reducer or blade. Used as base for VS attachment, or simply as an extra bowl.

16- VS Attachment + 4 discs

Without bowl support or
With bowl support



Master Series



17- MDH 2000 Plus detachable mixer

Total length:.....720 mm / 30"
Mixer tool length:410 mm / 16"
Diameter:122 mm / 5"
Actual / shipping weight: 3,7 Kg / 8,1 lbs - 4,5 Kg / 9,9 lbs
Output:.....460 W
Speed.....3000 to 9500 R.P.M.

18- MF 2000 Combi (Mixer tool + whisks)

Total length:.....753 mm / 30"
Mixer tool length:410 mm / 16"
Whisk length:245 mm / 10"
Length - diameter of ricer/foodmill:..420mm - 110 mm / 16,5" - 4,5"
Diameter:122 mm / 5"
Actual / shipping weight: 6,5 Kg / 14,3 lbs - 8,4 Kg / 18,5 lbs
Output:.....460 W
Mixer Speed:3000 to 9500 R.P.M.
Whisk Speed.....300 to 900 R.P.M.
Foodmill / Ricer Speed:100 to 600 R.P.M.



19- MFAP 2000 detachable (Mixer tool + whisks + ricer)

Total length:.....753 mm / 30"
Mixer tool length:410 mm / 16"
Whisk length:245 mm / 10"
Diameter:.....122 mm / 5"
Actual / shipping weight: 4,5 Kg / 9,9 lbs - 6,3 Kg / 3,9 lbs
Output:.....460 W
Mixer / Whisks Speed:3000 to 9500 - 300 to 900 R.P.M.





Dynacutter Complete



Master Dynacutter

20- Dynacutter complete

Actual weight / shipping weight: 5 Kg / 11 lbs - 6 Kg / 13,2 lbs
Output: 460 W

The Dynacutter includes : the BM 2000 motor block, a complete stainless steel bowl with your choice of a standard or serrated blade.

21- VS Attachment complete

Actual / shipping weight: 7 Kg / 15,4 lbs - 8 Kg / 17,6 lbs
Output: 460 W

Consists of : BM 2000 motor block, VS attachment upper assembly, with 2 shredding discs (2 & 3 mm, 5/64"-1/8") + 2 slicing discs (2 & 3 mm, 5/64"-1/8") + 1 ejector disc stainless steel bowl(no lid, no reducer, no blade, bowl used as support only).

22- Multi-Function Food Prep System

Actual weight / shipping weight Dynacutter: 600 mm / 23,5"
Total height VS attachment: 650 mm / 25,5"
Diameter of bowl: 220 mm / 9"
Total weight: 8 Kg / 17,6 lbs - 9 Kg / 19,8 lbs
Voltage : 115 V or 230 V
Output: 460 W
Speed: 0 to 1500 R.P.M.

Multi-function food prep system Consists of :

- BM 2000 motor block,
- Complete dynacutter bowl with one blade
- VS attachment with 4 discs + an ejector disc.

Additional discs are sold separately

23- SLICING DISCS - Thickness of cutting

1,5 mm x Ø 220 mm - 1/64"
2 mm x Ø 220 mm - 5/64"
3 mm x Ø 220 mm - 1/8"
5 mm x Ø 220 mm - 3/16"

24- SHREDDING DISCS

Ø holes - 2 mm x Ø 220 mm - 5/64"
Ø holes - 3 mm x Ø 220 mm - 1/8"
Ø holes - 4 mm x Ø 220 mm - 5/32"

VS attachment Complete



Multi-function food prep system



SMX Series



01- SMX 600 E non detachable

Total length: 800 mm / 31,5"
Mixer tool length: 530 mm / 21"
Diameter: 125 mm / 5"
Actual / shipping weight: 6,1 Kg / 13,4 lbs - 7,7 Kg / 17 lbs
Voltage: 115 V or 230 V
Output: 650 W
Speed: 9500 R.P.M.

03- SMX 600 DSC non detachable

Total length: 870 mm / 34,25"
Mixer tool length: 600 mm / 21"
Diameter: 25 mm / 5"
Actual / shipping weight: 6,5 Kg / 14,3 lbs - 8 Kg / 17,6 lbs
Voltage : 115 V or 230 V
Output: 650 W
Speed: 9500 R.P.M.

02- SMX 800 E detachable

Total length: 950 mm / 37,5"
Mixer tool length: 680 mm / 27"
Diameter: 125 mm / 5"
Actual / shipping weight: 6,7 Kg / 14,7 lbs - 8,2 Kg / 18 lbs
Voltage : 115 V or 230 V
Output: 800 W
Speed: 9500 R.P.M.
For maintenance only.

04- SMX 800 DSC detachable

Total length: 950 mm / 37,5"
Mixer tool length: 680 mm / 27"
Diameter: 125 mm / 5"
Actual / shipping weight: 6,7 Kg / 14,7 lbs - 8,2 Kg / 18 lbs
Voltage : 115 V or 230 V
Output: 800 W
Speed: 9500 R.P.M.
For maintenance only.



Salad Spinner Series

The Original!



5gal

02



01



25gal

01- SD 99 Manual salad spinner

Diameter:330 mm / 13"
Total height:420 mm / 18"
Actual weight / shipping weight: 2,4 Kg / 5,3 lbs - 3,1 Kg / 6,8 lbs
Suggested capacity : up to 4 heads of lettuce.

02- SD 92 Manual salad spinner

Diameter:430 mm / 17"
Total height:500 mm / 21"
Actual weight / shipping weight: 3,6 Kg / 7,9 lbs - 4,8 Kg / 10,5 lbs
Suggested capacity : up to 8 heads of lettuce.



5gal.



03

03- SD 92 SC manual "sealed cover"

Ref. E004
Diameter:430 mm / 17"
Total height:500 mm / 21"
Actual weight / shipping weight: 3,6 Kg / 7,9 lbs - 4,8 Kg / 10,5 lbs
Suggested capacity : up to 8 heads of lettuce.

04- Stabilizing base SSB1

Diameter:360 mm / 14,2"
Height:170 mm / 6,7"
For SD 92, SD 92 SC



04

05- EM 98 electric salad spinner

Total height:630 mm / 25"
Diameter:430 mm / 17"
Actual weight / shipping weight: 8,3 Kg / 18,3 lbs - 10 Kg / 22 lbs
Voltage : 115 V ou 230 V
Output:200 W
Speed:500 R.P.M.
Suggested capacity : up to 8 heads of lettuce.



5gal



05

Manual Food Cutter Series

Slice and shred with ease. The Dynacoupe is ideal for manually slicing and shredding vegetables fruit and some meat products. This unit is easy to clean and the discs are easily interchangeable

01- Dynacoupe without discs

Total height:..... 260 mm / 10,25"
Diameter: 370 mm / 14,5"
Actual / shipping weight:2,1 Kg / 4,6 lbs - 2,8 Kg / 6,2 lbs

Very simple and easy to use, ideal for quickly and efficiently slicing and shredding vegetables. Discs sold separately.

Dynacoupe with 2 discs

Slicing discs:thickness 3 mm / 1/8"
Shredding disc: holes 3 mm / 1/8"

Additional discs available

02- SLICING DISCS


Thickness - 1,5 mm x Ø 220 mm - 1/64"
Thickness - 2 mm x Ø 220 mm - 5/64"
Thickness - 3 mm x Ø 220 mm - 1/8"
Thickness - 5 mm x Ø 220 mm - 3/16"

03- SHREDDING DISCS

Ø holes - 2 mm x Ø 220 mm - 5/64"
Ø holes - 3 mm x Ø 220 mm - 1/8"
Ø holes - 4 mm x Ø 220 mm - 5/32"

04- Storage rack

A 6-disc-capacity storage rack.





Food which needs to be shredded or sliced is inserted into the feeder. After placing an empty container below the unit, turn the handle and lightly apply pressure on the pusher which ensures total safety during operation.



Very simple and easy to use.
For the Dynacoupe, just select and lock the disc in the deck and your unit is ready to use.



The Dynacoupe offers easy and simple cleaning and maintenance. Following each use, simply remove the components. Hand wash with mild soap and rinse with warm water.



The Dynacoupe is supplied with the following housing support:
Stations cup. Designed to sit perfectly to your working area.

Dynacoupe



Manual Food Cutter Series

The perfect manual kitchen tool : simple and practical to use for rapidly and efficiently dicing food products. Its patented cutting grid system made of surgical stainless steel blades, ensures a clean, safe and consistent cut of vegetables, fruit and some cooked meat. Great for soft vegetables.


05- Dynacube complete

Includes one of the following grid set sizes.


- | | |
|----------------------------------|-------------------------------|
| Additional grid sets | (sold separately) |
| Blade set 7 mm x 7 mm / 1/8" | (Yellow grid set with pusher) |
| Blade set 8,5 mm x 8,5 mm / 1/4" | (Orange grid set with pusher) |
| Blade set 10 mm x 10 mm / 3/8" | (Red grid set with pusher) |
| Blade set 14 mm x 14 mm / 1/2" | (Yellow grid set with pusher) |
| Blade set 17 mm x 17 mm / 3/4" | (Orange grid set with pusher) |

- Grid set 7 x 7mm / 1/8"
- Grid set 8,5 x 8,5mm / 1/4"
- Grid set 10 x 10mm / 3/8"
- Grid set 14 x 14mm / 1/2"
- Grid set 17 x 17mm / 3/4"

Total height: 330 mm / 13"
Diameter: 400 mm / 15,75"
Weight / shipping weight: 3,1 Kg / 6,8 lbs - 4,4 Kg / 9,7 lbs



Dynacube





Fast, which needs to be inserted or sliced (if needed) into the handle. After placing an empty container below the unit, turn the handle and lightly apply pressure on the pusher, which ensures total safety during operation.



Very simple and easy to use. For the Dynacube, attach the blade and remove the clear feature allowing easy access to the blade. Re-install components, including lower roller blade and the Dynacube is ready for use.



The Dynacube offers easy and simple cleaning and maintenance, following each use. Simply remove the components. Hand wash with mild soap and rinse with warm water.



The Dynacube is supplied with the following cutting **cup**:
Santitas cup. Designed to stop perfectly in your refrigerator.

Novon Carries Santos Products



32 T Automatic Orange Juicer



70 Lever Juicer Evolution



50 Santos Juicer



10 Automatic Citrus Juicer with Lever



300 Citrus Juicer 3 Squeezers



52 High Output Citrus Juicer



50 Centrifugal Juice Extractor "Easy Clean" System



02 Grater